



products
& tools

for professionals



It's not just paint,
it's personal.®



here's to jobs *done well*

With premium quality paints developed specifically for professionals, Crown Trade is the paint brand of choice for many architects, contractors, decorators and builders.

Supported by a knowledgeable, dedicated team of colour specialists, technical advisers and engineers, Crown Trade offers all of the services you need to ensure a successful project every time.



+ product guide 04

• primers & undercoats	04
• walls & ceilings	10
• trim	18
• flame retardant coatings	24
• protective coatings for metal	28
• floor coatings	29
• exterior paints	30

+ tools & services 32

• colour for the professional	32
• colour products	34
• colour matching	36
• colour services	38
• product specification	40

+ project possible 42

• A part of Hempel	42
• charity, community, people & culture, sustainability	44
• apprentice decorator of the year	46



stubborn stains?
difficult surfaces?
problem walls?

stick it to 'em
with Crown Trade
PX3 & PX4



Our PX3 & PX4 products offer the latest in primer-sealer technology, gripping to tough surfaces for unbeatable adhesion.





primers & undercoats

Whether you're working with a problem wall, new plaster or just want to create the perfect foundation for your topcoat, we have you covered with our extensive range of primers and undercoats.



scan QR Code for more product information on primers & undercoats

PX3 Solvent-based

- Advanced all-purpose primer
- Excellent adhesion
- Blocks stubborn stains
- Resists alkaline attack



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	13m ² /litre	Touch Dry: 4 hrs Recoatable: 16 hrs	1L 5L	Off White

PX4 Water-based

- Quick drying formulation
- Advanced all-purpose primer
- Excellent adhesion
- Blocks stubborn stains
- Resists alkaline attack



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 30 mins Recoatable: 1 hr	1L 5L	White

Fastflow Quick Dry Primer Undercoat Water-based

- BREEAM/LEED accredited
- Advanced water based technology
- Breatheasy® 99% solvent free formulation
- Low odour
- Ideal basecoat for Crown Trade Fastflow Quick Dry Gloss, Satin and Eggshell



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4-6 hrs	1L 2.5L, 5L	See Colour for Professionals Fandack

Acrylic Primer Undercoat Water-based

- Quick drying
- Excellent opacity and adhesion
- Low odour



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4-6 hrs	1L 2.5L, 5L	White

Covermatt Drywall Primer
Water-based

- Can also be a mist coat for new plaster where access to water is difficult
- Reduces the appearance of roller striping in critical lighting



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4 hrs	10L	White

New Build Acrylic Primer
Undercoat
Water-based

- Basecoat for Crown Trade New Build Acrylic Gloss
- Non-yellowing
- Quick drying



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hrs Recoatable: 4 hrs	5L	White

Full Undercoat
Solvent-based

- Excellent obliteration
- Good wet edge retention
- Excellent adhesion and opacity



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	18m ² /litre.	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	1L 2.5L, 5L	See Colour for Professionals Fandeck

Next Generation Plus
Undercoat
Solvent-based

- Ideal foundation for Next Generation Plus Glosss
- Offers improved adhesion of Gloss
- Superior levelling properties



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	17m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16 hrs	1L 2.5L 5L	White

Universal Metal Primer
Solvent-based

- Rust inhibiting properties
- Reduces risk of corrosion
- Excellent adhesion



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	12m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	1L 5L	Grey

Red Oxide Primer
Solvent-based

- Economical to use
- Holding primer
- Excellent obliteration



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4 hrs Recoatable: 16 hrs	5L	Red

Wood Primer
Solvent-based

- Seals the surface to provide excellent adhesion
- Excellent opacity
- Provides a sound foundation for painting



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	12m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16 hrs	1L 2.5L, 5L	White

Aluminium Wood Primer
Solvent-based

- Self-knotting
- Primes resinous wood
- Seals stains and tannins in the timber
- Excellent adhesion



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	13m ² /litre	Touch Dry: 2-4 hrs Recoatable: 16 hrs	2.5L	Grey

there's no
better paint for
extreme durability



- + Clean Extreme **STAIN RESISTANT**
Ideal for high traffic areas
- + Clean Extreme **MOULD INHIBITING**
Ideal for kitchens and bathrooms
- + Clean Extreme **ANTI BACTERIAL**
Ideal for hospitals & healthcare facilities

Find out more at
crowntrade.com





For walls & ceilings products a medium pile roller is recommended

walls & ceilings

Keep walls and ceilings looking flawless for longer with a professional finish. Whether you need superior scrubbability, mould resistance or a flat matt finish, we've got the right paint for your project.



scan QR Code for more product information on walls & ceilings

Clean Extreme® Clean Air Scrubable Matt **NEW** Water-based



- Air purifying technology
- Removes up to 45% of formaldehyde from the air
- 100% more stain resistant
- BREEAM® / LEED® accredited
- ISO 11998 Class 1 scrub rating
- Breatheasy® 99% solvent free

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4 hrs	5L, 10L	See Colour for Professionals Fandek

Clean Extreme® Stain Resistant Scrubable Matt Water-based



- 100% more stain resistant
- New and aged stains can be easily cleaned away
- Extreme durability in high traffic areas
- 10,000 scrubs durability
- ISO 11998 Class 1 and BS7719 scrub rating
- Available in handy 250ml tester pots

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4 hrs	250ml, 2.5L, 5L, 10L	See Colour for Professionals Fandek

Clean Extreme® Anti-Bacterial Scrubable Matt Water-based



- SteriTouch® Silver Ion Technology
- MRSA & Ecoli defence coating
- Superior stain resistance
- New and aged stains can be easily cleaned away
- ISO 11998 class 1 scrub rating
- Ultimate opacity

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4 hrs	5L	See Colour for Professionals Fandek

Clean Extreme® Mould Inhibiting Scrubable Matt Water-based



- Ideal for kitchens, bathrooms and void premises
- Extreme fungicidal barrier defence
- Superior stain resistance
- New and aged stains can be easily cleaned away
- ISO 11998 class 1 scrub rating
- Ultimate opacity

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4 hrs	2.5L, 5L	See Colour for Professionals Fandek

Clean Extreme® Stain Resistant
Acrylic Eggshell
Water-based



- 100% more stain resistant
- Extreme durability in high traffic areas
- ISO 11998 Class 1 and BS7719 scrub rating
- 10,000 scrubs durability
- New and aged stains can be easily cleaned away

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4 hrs	5L	See Colour for Professionals Fandek

Clean Extreme® Anti-Bacterial
Acrylic Eggshell
Water-based



- SteriTouch® Silver Ion Technology
- MRSA & Ecoli defence coating
- Superior stain resistance
- New and aged stains can be easily cleaned away
- ISO 11998 class 1 scrub rating

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4 hrs	5L	See Colour for Professionals Fandek

Clean Extreme® Mould Inhibiting
Acrylic Eggshell
Water-based



- Ideal for kitchens, bathrooms and void premises
- Extreme fungicidal barrier defence
- Superior stain resistance
- New and aged stains can be easily cleaned away
- ISO 11998 class 1 scrub rating

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1 hr Recoatable: 4 hrs	2.5L, 5L	See Colour for Professionals Fandek

Acrylic Eggshell
Water-based



- Good flow and adhesion
- Minimises disruption
- Washable finish
- Highly durable finish
- Virtually solvent free
- BREEAM/LEED accredited

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4 hrs	2.5L, 5L, 10L	See Colour for Professionals Fandek

creating a *better* indoor environment

Air purifying technology formulation that improves indoor air quality by removing up to 45% of the formaldehyde present from the air.



- + removes formaldehyde from the air
- + BREEAM® / LEED® accredited
- + ISO 11998 Class 1 scrub rating

Matt Vinyl
Water-based



- True flat matt finish
- Excellent opacity
- Quick drying
- Good colour retention
- Easy application
- Available in handy 250ml tester pots

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	17m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4 hrs	250ml, 1L, 2.5L, 5L, 7.5L, 10L	See Colour for Professionals Fandek

Silk Vinyl
Water-based



- Washable finish
- Quick drying
- Good opacity
- Excellent colour retention
- Easy to apply
- BREEAM/LEED accredited

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4 hrs	1L, 2.5L, 5L, 10L	See Colour for Professionals Fandek

Mid Sheen Vinyl
Water-based



- Wipeable finish
- Quick drying
- Good opacity and colour retention

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4 hrs	2.5L, 5L, 10L	See Colour for Professionals Fandek

Covermatt Obliterating Emulsion
Water-based



- For first time decoration of new build properties
- Exceptionally high opacity
- Quick drying
- Easy to apply
- Low spatter
- BREEAM/LEED accredited

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4 hrs	5L, 10L	See Colour for Professionals Fandek

Extramatt Low Reflective Emulsion **NEW**
Water-based



- Extremely low reflective finish
- Alleviates visual imperfections and eliminates flashing
- High opacity
- Ideal product for ceilings and touching up
- Breatheasy® 99% solvent free
- BREEAM/LEED accredited

APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	11m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4 hrs	10L	White

ultra low sheen for
the *perfect* finish



high opacity | alleviates imperfections | flat matt finish

FASTFLOW



Advanced water based technology



Breatheasy® formulation



Excellent flow



Interior & exterior use





trim

Developed for a professional finish on multiple surfaces, our trim paints offer a range of additional benefits from quick drying formulations to superior flow and levelling.



scan QR Code for more product information on trim

Fastflow Quick Dry Gloss

Water-based

- Advanced water based technology
- Breatheasy® 99% solvent free
- Low odour
- Excellent flow
- High gloss
- BREEAM/LEED accredited



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 1-2 hrs Recoat able: 4-6 hrs	1L 2.5L, 5L	See Colour for Professionals Fandack

Fastflow Quick Dry Satin

Water-based

- Advanced waterbased technology
- Breatheasy® 99% solvent free
- Low odour
- Excellent flow
- BREEAM/LEED accredited



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 1-2 hrs Recoat able: 4-6 hrs	1L 2.5L, 5L	See Colour for Professionals Fandack

Fastflow Quick Dry Eggshell

Water-based

- Advanced water based technology
- Breatheasy® 99% solvent free
- Low odour
- Excellent flow
- BREEAM/LEED accredited



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 1-2 hrs Recoat able: 4-6 hrs	1L 2.5L	See Colour for Professionals Fandack

Acrylic Satin Finish

Water-based

- Non yellowing
- Quick drying
- Virtually solvent free
- Excellent flow



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 1-2 hrs Recoat able: 4 hrs	1L 5L	White

New Build Acrylic Gloss
Water-based

- Non-yellowing
- Quick-drying
- Durable, flexible finish



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 2 hrs Recoatable: 6 hrs	5L	White

Next Generation Gloss
Solvent-based

- Excellent application and flow
- Easy to apply
- Excellent gloss retention



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	18m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	1L, 2.5L, 5L	White

Satin Finish
Solvent-based

- Excellent durability
- Self undercoating
- Good flow
- Easy to apply



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	1L, 2.5L, 5L	See Colour for Professionals Fandek

Aluminium Paint
Solvent-based

- Exceptional opacity
- Durable metallic effect finish
- Suitable for temperatures up to 250°C
- For interior and exterior use



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4 hrs Recoatable: 16 hrs	1L	Aluminium

Eggshell
Solvent-based

- Excellent durability and opacity
- Good flow and adhesion
- Long lasting washable finish



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16 hrs	1L, 2.5L, 5L	See Colour for Professionals Fandek

Full Gloss
Solvent-based

- Exceptionally hard wearing
- Excellent opacity and film build
- High gloss and colour retention
- Good flow properties



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	1L, 2.5L, 5L	See Colour for Professionals Fandek

Most of our trim products can be mixed into thousands of colours. See Colour for Professionals Fandek for available colour choices.



why use timonox?

- + Buys precious time for evacuation in the event of fire
- + No special application techniques required
- + Offers a range of decorative paint finishes
- + Has an extensive colour offering
- + Offers anti-graffiti options
- + Products are water-based or solvent free for ease of use
- + Products have excellent coverage
- + Comprehensive technical and sales support available

Timonox products should only be used as part of fire tested systems. For more information please contact our dedicated Specification Services Team:

Tel: **0330 0240310**

Email: **info@crownpaintsprofessional.com**

Or visit our website:

www.crownpaintsprofessional.com

TÍMONOX

FLAME RETARDANT COATINGS



Crown Trade Timonox has a long, well established history of providing a first line defence against the spread of flame, and so offers a comprehensive solution to the perceived 'Duty of Care' for building owners, facility managers or employers to protect the occupants of their properties.

Timonox Vinyl Matt
Water-based

- Inhibits the spread of flames in a fire
- Ideal for use in communal areas
- Can be used as part of a system to upgrade existing coatings to class 0



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	Max 14m ² /litre on smooth surfaces (must not be exceeded)	Touch Dry: 1 hr Recoatable: 4 hrs	5L	See Colour for Professionals Fandek

Timonox Bonding Primer
Water-based

- Provides an ideal foundation for Timonox coating systems
- Excellent adhesion properties
- Superior stain blocking



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	12m ² /litre on smooth surfaces (must not be exceeded)	Touch Dry: 2 hrs Recoatable: 16 hrs	5L	White

Timonox Scrubbable Matt
Water-based

- Scrub resistant (rating class 1 to ISO1998)
- Durable aesthetic finish
- Can be used as part of a system to upgrade existing coatings to class 0



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	Max 14m ² /litre on smooth surfaces (must not be exceeded)	Touch Dry: 1 hr Recoatable: 4 hrs	5L	Colours only - see Crown Trade Colour Collection Fandek

Timonox One Coat Upgrade Basecoat
Water-based

- Forms part of a system to upgrade existing coatings to class 0
- Must be overcoated
- No special application method required
- One coat application



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	2.5m ² /litre on smooth surfaces (must not be exceeded)	Touch Dry: 1 hr Recoatable: 4-6 hrs	5L	White

Timonox Acrylic Eggshell
Water-based

- Inhibits the spread of flames in a fire
- Ideal for use in communal areas
- Washable finish
- Can be used as part of a system to upgrade existing coatings to class 0



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	14m ² /litre on smooth surfaces (must not be exceeded)	Touch Dry: 1 hr Recoatable: 4 hrs	5L	See Colour for Professionals Fandek

Timonox Anti-Graffiti Flame Retardant Glaze
Water-based

- One Coat Application
- Provides flame retardant anti-graffiti top coat for use over Timonox Vinyl Matt to upgrade existing coatings to class 0
- Provides Anti Graffiti non sacrificial protection when used over Timonox top coats
- Two pack system



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre on smooth surfaces (must not be exceeded)	Touch Dry: 2hrs Pot life: 4 hrs	1L & 4L	Clear

Timonox Clear Top Coat
Water-based

- Clear protective coating to be used over Timonox Acrylic Eggshell
- Ideal for use in communal areas where extra durability is required



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	10m ² /litre (must not be exceeded)	Touch Dry: 2 hrs Recoatable: 4-6 hrs	5L	Clear



scan QR Code for more product information on Timonox

Fast Drying
Cladding Finish
Water-based

- Provides up to 8 years protection
- Quick and easy to use
- Transforms tired metal cladding



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 1-2 hrs Recoatable: 4-6 hrs	5L	See Colour for Professionals Fandek

High Build Rust Inhibiting
Metal Primer/Undercoat
Solvent-based

- Excellent adhesion
- Reduced risk of corrosion
- Use as part of a 10 year or 15 year protective system
- Spot primer for Crown Trade Fast Drying Cladding Paint



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	7m ² /litre	Touch Dry: 3hrs Recoatable: 6 hrs	2.5L	Grey

High Build Micaceous
Iron Oxide
Solvent-based

- Protects against corrosion
- Excellent intermediate coat
- Use on its own when a decorative finish is not important
- Use as part of full 15 years protective system



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	8m ² /litre	Touch Dry: 4 hrs Recoatable: 16 hrs	2.5L	Grey

High Performance Gloss
for Metal
Solvent-based

- Use as part of a 10 year or 15 year protective system
- Excellent adhesion and UV resistance
- No sag formulation



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	2.5L	See Colour for Professionals Fandek

Anti Slip Epimac Floor Coating
Solvent-based

- Anti-slip
- Durable Finish
- Low glare satin finish
- Resistant to abrasion and scuffing
- Resistant to spillages of oil, petrol and detergent
- Easy to use single pack



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16 hrs	5L	Mid Grey, Tile Red

Epimac Floor Coating
Solvent-based

- Durable finish
- Low glare satin finish
- Resistant to abrasion and scuffing
- Resistant to spillages of oil, petrol and detergent
- Easy to use single pack



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16 hrs	5L	Mid Grey, Tile Red, Green, Dark Grey, Clear

Epimac colour range

* Also available in Anti Slip



We make every effort to ensure perfect colour reproduction but owing to printing limitations the colours may not match exactly.

Fast Drying Concrete
Floor Paint
Solvent-based

- Hard-wearing finish
- Allows you to complete a project in one day



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 3hrs Recoatable: 6 hrs	5L	See Colour for Professionals Fandek



scan QR Code for more product information on floor coatings



Stronghold Smooth
Masonry Paint
Water-based

- Resists dirt retention
- 10 years proven durability
- Excellent weather resistance



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	16m ² /litres	Touch Dry: 1-2 hrs Recoatable: 4-6 hrs	5L 10L	See Colour for Professionals Fandek

Stronghold Exterior
Gloss
Solvent-based

- 6 years proven durability
- Can be used on suitably primed and undercoated metal
- Flexible finish for exterior wood



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	2.5L	White

Stronghold Exterior
Primer Undercoat
Solvent-based

- Provides a flexible base for Stronghold Gloss
- Seals the wood
- Can be used as an undercoat on primed or unprimed wood and correctly prepared metal



APPLICATION	SPREADING RATE UP TO	DRYING TIME	PACK SIZES	COLOUR RANGE
	15m ² /litre	Touch Dry: 4-6 hrs Recoatable: 16-24 hrs	2.5L	White

Sandtex
TRADE

Protecting buildings for over 60 years

When your work takes you out of doors there's only one name you need to remember – Sandtex Trade.

This superior range of paints, protective coatings, preparatory and repair materials has everything you need for all your exterior decorating and maintenance projects and has been protecting buildings for over 60 years.

www.sandtextrade.co.uk



Sadolin

If it's worth **doing**,
it's worth **Sadolin**.

Renowned throughout the professional and DIY markets for offering the very highest possible standard of wood protection, products bearing the Sadolin name benefit from the most recent advances in coatings technology ... yet at the same time boast a rich history and heritage stretching back over 200 years.

www.sadolin.co.uk





tools &
services

With thousands of tintable colours available, no matter how large or small your project, it's easy to find the right product in the perfect shade for your customer.

+ The Colour Edit Collection

The Colour Edit Collection represents some of our most favourite, tried and tested colours. The final collection of 160 colours is the result of careful planning, colour forecasting, and 3D mapping.

All of the colours within this collection are available in a wide range of paint finishes to suit every need and every budget.

160 beautiful *hand selected* colours



+ British Standard

The British Standard BS 4800 specifies colours of paint for building and construction works. This is a key reference for specifying a particular paint colour to use in the refurbishment of buildings – especially at Local Authority level or for major works, such as office blocks, airports, schools and hospitals.

+ RAL Classic Palette

RAL is a European colour matching system which defines colours for paint, powder coatings and plastics. RAL Classic is a colour collection used in architecture, construction, industry and road safety.

+ The Colour Edit colour card

The Colour Edit Collection features beautiful hand selected colours chosen for their versatility, clarity and pigment strength. The colours represent a wide colour gamut and include both neutral and saturated colours with many suited for either a contemporary or historic setting.

+ Colour for Professionals Fandeck

The Crown Colour for Professionals fandeck is a colour reference guide for professionals that contains over 1400 colours. Every colour is assigned a unique 6-digit SCAN® code, which defines the colour by three characteristics: hue, lightness and saturation. You will be able to identify the right colour in an instant.



+ A5 Real Paint Swatches

Created using our award winning Crown Trade Clean Extreme paint. Our real paint samples are handy A5 pre-painted swatches that let you try out colours before you commit.

Experiment with new colour schemes. Find inspiration for ongoing projects. Or see how any individual shade looks in a particular room and under different lighting.

Sampling has never been easier.
Just browse through our colour library online at

crownpaintsprofessional.com

Choose the colour you want, then order a real paint sample for your space. Pure and simple and of course, fully recyclable.

+ Colour matching and colour tinting

We all have a favourite colour. If you can't find your perfect colour we can simply create it for you. Our colour mixing system means **we can match virtually any colour** you wish for, so you get a truly personal service.

+ ColourKey for colour matching

Match colours in an instant with **ColourKey**, the lightweight, compact and invaluable tool for colour and painting professionals. You'll never want to be without it.

Crown **ColourKey** is a pocket colour scanning device that will make it so much easier for you to match any colour. Whether you're at home, in your office or on site, you now have a measurement and lookup tool that will put the right colour at your fingertips.

The benefits of **ColourKey**:

- +** Advanced optical lens and high CRI white LEDs for over 92% first time accuracy
- +** Match to Crown Paints colours, British Standard and RAL



+ Specification services

Improve the performance of your paint with a host of specification services purpose-designed for today's professionals.

We offer as standard:

- + Site visits including conditions surveys and flake analysis
- + Full technical specifications and asset management programmes
- + On-going site support and setting key performance indicators
- + Assistance in developing sound cyclical maintenance programmes to ensure optimum value
- + Guidance in dealing with fire safety legislation and fire risk analysis
- + Colour scheming advice
- + NBS specifications and BIM downloads
- + Training specifying clients and painting contractors
- + RIBA accredited Continuing Professional Development (CPD) modules
- + Colour scheming support and advice
- + Product and colour training for specifying clients

+ PaintSpec Finder®

It's never been easier to create a Crown Paints or M60 specification thanks to our useful tool. Simply create a specification, add colour and save your documents to your area for future use. Visit crownpaintsprofessional.com/specification-services.



+ Data sheets for all products

We provide data sheets for all our products. They are available on our website:

crownpaintsprofessional.com/products

+ Crown Paints Professional website

Our one true home for Crown Paints Professional and our complete family of top name brands. Looking for high-quality paints, masonry coatings or woodcare solutions? find everything you need for your next project right here.

www.crownpaintsprofessional.com



say hello to
project
possible

We know what a positive difference we can make to people and our planet. That's why we've launched Project Possible, an ambitious programme that combines our knowledge, passion and expertise across five key areas to make the world a better place.

It's bold and ambitious, but those are words we're proud to live up to.

We are proud to be part of Hempel, a global coatings company whose purpose is to shape a brighter future with sustainable coating solutions.

Project Possible builds on the Hempel Futureproof framework, a programme designed to deliver our strategic goal of sustainability leadership

A part of  **HEMPEL**



+ charity

We're dedicated to helping our charity partners – with our profits and with our paint.

+ community

We care deeply about our communities and want our presence in them to be only positive.

+ people & culture

Our Crown family are at the heart of everything we do and we're committed to creating an environment rich in possibility for all.

+ sustainability

We're putting sustainability first.

Our overall ambition is to radically improve our environmental and social impact, so that our company, customers and colleagues are able to thrive – now and into the future.

We're continually pushing more adventurous sustainability targets across the whole Crown business and have committed to being completely carbon neutral across our offices, manufacturing sites and network of Crown Decorating Centres by 2026, sending zero waste to landfill by 2026 and continuing to be planet first thinkers.

our
aim
zero waste
to landfill & carbon
neutral in our own
operations by 2025



APPRENTICE DECORATOR
OF THE YEAR

Jacqui Hawthorne

Apprentice Decorator
of the Year 2023



+ education

Apprentice Decorator of the Year

Founded in 1979, the Apprentice Decorator of the Year competition is the UK's longest running and best-known showcase for up and coming painters and decorators. Top students are encouraged to put themselves forward, to test their skill and dexterity across a number of key areas including cutting in, wallpapering and attention to detail.

The competition is judged by a leading panel of experts, including our very own Product Trainer, Kevin O'Donnell.

We want to help
everyone have more
colourful futures

EARN
YOUR
STRIPES

The UK's leading
painting and
decorating
competition.

Have you got what
it takes to become
the next Crown
Paints apprentice
decorator
of the year?

For more information visit
crownpaintsprofessional.com
or call 0330 024 0297

in association with



Can back scheme

Our Can Back scheme, which operates from over 170 of our stores, is open to all Crown Decorating Centres account holders and encourages decorators to return empty paint cans from ANY manufacturer to be recycled by us completely free of charge.



crownpaintsprofessional.com

Follow us on     

For more information on Crown Trade ranges please contact our Customer Relations Team on **0330 0240278**

For colour services support please email: colour.advice@crownpaints.co.uk

Crown Paints Ltd, PO Box 37, Hollins Road, Darwen, Lancashire, BB3 0BG.
T: **01254 704951**

Republic of Ireland: Crown Paints Ireland Ltd, Unit 8A Coolmine Central, Porters Road, Coolmine Ind Est, Dublin 15, D15 AX9A. T: **01816 4400**

All trademarks and logos featured in this publication are the property of, or licensed to Crown Paints Limited. ©Copyright and database right 2024 Crown Paints Ltd.



6070984

A part of  **HEMPEL**



It's not just paint,
it's personal.